

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 448-55, dated 6th July 1937.

To

The Firms dealing in Surgical Instruments.

Enquiry No. 2367.

INSTRUMENTS CABINET AND STERILIZERS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Instruments Cabinet and Sterilizers" with the above enquiry number.

This enquiry will be closed on the 24th July 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
1	Aseptic Instrument-cabinet, strongly constructed. Sides and door to be fitted with crystal plate glasses; top, bottom and back to be of metal. Glass shelves to be provided To be finished in white enamel Designs of cabinets offered should be furnished	1	Kolar	
2	Batteries of Sterilizers consisting of.— (1) One container 19"×10"×9" (2) Two containers 19"×14½"×12" including one immersion heater of 2 K. W. with flexible wire, plugs complete	Two sets		

No. S. P. C. 441-7, dated 6th July 1937

To

The Firms dealing in Bedsteads.

Enquiry No. 2368.

BEDSTEADS REQUIRED FOR SRI NARASIMHARAJA HOSPITAL, KOLAR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bedsteads for Sri Narasimharaja Hospital, Kolar" with the above enquiry number.

This enquiry will be closed on the 24th July 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
			Kolar	
1	Baby Bedsteads, size 5'×2½'×24" with side rails and arrangements for curtain fittings	6		
2	Maternity cots having angle iron frame with cradles attached. Size of cot 6½'×3' Size of cradle 26"×15"×9"	12		
3	Fever cots, with side rails. The sides to be fixed in such a manner as to be capable of being lowered down when necessary	12		
4	Lawson Tait Model Bedsteads 6½'×3'×21" having 1" pipe and 14 springs on each side—			
	(1) with curtain fittings	24		
	(2) without do do	18		
5	Aseptic Obstetric-Labour bed with two adjustable sections. The head section with knee crutches and the foot-end to be fitted with castors	1		

N.B.—All the above to be fitted with castors and finished in white enamel.

No. S. P. C. 633-47, dated 7th July 1937.

To

The Firms dealing in Ball Frames.

Enquiry No. 2374.

BALL FRAMES REQUIRED DURING 1937-38.

GENTLEMEN,

Please intimate your best present day price for free delivery at the several District Headquarter Stations in the State for the supply of Ball Frames of the following specification :—

Ball Frame, measuring 11½"×11½" inside and 13½"×13½" outside, frame work, 1.½"×¾", strong joints at corners, supported by a couple of screws.

Balls ten rows of ten each, Same colour in each row, but different colour in different rows.

Diameter ½"×2-5" must slide easily on wires which must be strong and elastic.

Rests at the bottom to place the whole frame on the table.

The price to be quoted should hold good for a period of one year from 21st July 1937.

Your quotation should reach this office on or before 20th July 1937.

No. S. P. C. 832-37, dated 12th July 1937.

To

The Firms dealing in Cement.

Enquiry No. 2377.

CEMENT REQUIRED DURING THE YEAR 1937-38.

GENTLEMEN,

Please be good enough to submit your best quotations in the accompanying form for the material described therein subject to the conditions of contract attached.

The quotations should be superscribed "Quotations for Cement" with the above enquiry number and submitted to the undersigned in sealed covers on or before the 29th of July 1937.

Schedule.

Description of Article	Approximate quantity required	Delivered free on rails at	Price per ton in full wagon loads	Price per ton in less than full wagon loads
Good Cement— Indian or English manufactured	250 Tons	Bangalore City Railway Station. Kolar do Kadur do Mysore City do Tumkur do Belgola do Hassan do French-Rocks do Mandya do Byaderhalli do Maddur do Chitaldrug do Shimoga do	Rs.	Rs.

N.B.—(1) Name of Manufacturer and Brand offered—.....

(2) The quality offered will conform to British Standard Specification.

Signature of Tenderer.

Place.....

Date.....

Full address.....

Specifications and conditions for the Supply of Cement required for the several
Departments of Mysore Government during the year 1937-38.

1. The Stores Purchase Committee do not bind themselves to accept the lowest or any tender.
2. Delivery of Cement under the contract should be made at Bangalore, Tumkur, Kolar, Kadur, Shimoga, Hassan, Chitaldrug, Mysore, Mandya, Byaderhalli, French-Rocks, Maddur and Belgola Railway Stations, Mysore Railways, and in cases of supplies required at places other than those mentioned above, the actual railway freight from Bangalore will be borne by Government.
3. Tenderers should specify rates per unit given in the schedule, which rates, should include all charges connected with the conveyance of the materials to the above Railway Stations, and any tender in which the rates quoted do not fulfil the foregoing conditions will be liable to be rejected. The quoted rates should hold good for at least four weeks from the last date fixed for the receipt of tender. The signature should be affixed to and address noted at the bottom of the page of the schedule on which the rates are entered.
4. The purchase of the entire quantity of the article referred to in the schedule is not guaranteed but the successful tenderer should be prepared to supply to the indenting officers to be intimated later on, such quantities as may be required from time to time. The contract will be deemed to be limited to the quantities to be actually drawn by the consuming departments and will be in force for a period of one year from the date of the acceptance of the tender is communicated to the contractor.
5. An earnest money of Rs. 100 should be furnished to the State Huzur Treasury Officer, Bangalore, with the accompanying challan forms duly filled in and the fact of such remittance should be clearly indicated in the tender. Tenders not complying with this condition will not be considered.
6. No applications for enhanced prices, due to whatever causes will be entertained during the period of contract.
7. The successful tenderer shall be required to execute an agreement on a Mysore Government stamp paper of the value of 10 annas and also to deposit an amount equal to 5 per cent of the value of the contract as security for the proper performance of the contract.

8. All requisitions from the indenting officers should be promptly attended to and the material ordered should be supplied within seven days from the date of receipt of indents.

9. Should the contractor fail to comply with any of the conditions, the contract shall forthwith be cancelled and the security deposit forfeited to Government. Further, in the event of the contractor failing to fulfil his contract within the time specified, the Stores Purchase Committee reserve the right to purchase against him in the open market at his risk and expense and claim damages, the measure of which will be the market rate on date of the purchase less contract price and also to levy a sum of 3 per cent of the value of such portion of the material as may then be undelivered, as and by way of liquidated damages.

10. (a) The Cement to be supplied should be English or Indian manufactured cement and should satisfy the test of British Standard specifications. Test certificates should be forwarded along with the tenders and the different brands quoted for should be clearly indicated.

Special Conditions.

(b) The Cement should be supplied in properly coopered casks of net weight 560 lbs. or in single gunnies of 112 lbs. nett weight.

(c) If the cement fails to satisfy the test as per British Standard Specifications, the whole consignment shall be rejected and the supplier shall remove the same at his own cost and supply fresh stocks within a weeks time according to the quality required without extra cost to Government.

(d) The successful tenderer should undertake to keep sufficient stocks of the material always in his godowns to meet urgent departmental requirements.

(e) Contractors whose tenders are accepted should book the consignments always *freight paid*, failing which the material will remain at the railway station at the Contractor's risk and responsibility and if taken delivery of, a charge of Rs. 2 per consignment will be levied. Where consignments are booked in wagon loads from manufacturer's works, the contractors should arrange with the manufacturers for despatch of consignments as above.

(f) In the case of supplies to be made to the Railway Department, Railway material certificates will be furnished to the contractors on application to the Agent, Mysore Railways, to enable them to book the consignments at concessional rates and the benefit of the difference between Public Traffic and Railway Material Concession Rates should be allowed to the Railway Department.

(g) The Stores Purchase Committee reserve the right to have the material supplied by the contractors tested, when considered necessary and the cost of such test, viz., Rs. 40 will have to be borne by the Contractors.

11. Tenders should be delivered not later than 5 P.M. on the 29th July 1937 in sealed envelopes superscribed "Tender for the supply of Cement to Government Departments during 1937-38" and addressed to—

The Secretary,

Stores Purchase Committee,

Public Offices,

Bangalore. (S. India).

No. S. P. C. 821-31, dated 12th July 1937.

To

The Firms dealing in Asphaltic Bitumen.

Enquiry No. 2378.

ASPHALTIC BITUMEN.

GENTLEMEN,

About 800 to 900 tons of Asphaltic Bitumen 180-200 penetration, will be required at Bangalore and at Mysore during the year 1937-38, for the manufacture of Bitumen Emulsion for Road surfacing. Please quote your best prices f. o. r. Bangalore and f. o. r. Mysore for the material to be supplied on indents from time to time during the period of one year from the date of letting the contract.

The quantity noted above is only approximate and not guaranteed. The material will be required to be supplied in non-returnable steel drums.

The prices quoted should hold good for supplies required during the period of contract.
 Test certificates issued by the Government of India Alipore Test House in respect of the material offered should accompany your quotation.
 This enquiry will be closed on 31st July 1937.

No. S. P. C. 838-56, dated 12th July 1937.

To

The Firms dealing in Machinery.

Enquiry No. 2379.

MACHINERY REQUIRED FOR THE GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserves the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Machinery for the Government Electric Factory" with the above enquiry number.

This enquiry will be closed on the 19th of August 1937.

Schedule.

1. Precision lathe for measuring instrument work, chucking capacity up to 1", 3—4" height of center, 18"—24" between canters, preferably with independent drive One.
2. Precision milling machine for measuring instrument work, complete with automatic gear and pinion cutting attachment. Capacity: work up to 3" long and up to 2" diameter. The gear and pinion cutting attachment of gears up to 2" diameter and $\frac{1}{4}$ " face and pinions up to $\frac{1}{4}$ " diameter and 1" long One.
3. Precision sensitive drilling machine, for very small work only, capacity up to $\frac{1}{4}$ " only, high speed and free from vibrations essential One.
4. Enamelling furnace, electrical, or, when oil fired, complete with burner and compressor, for ceramic enamelling of sheet iron dials. Capacity 24"×24"×18" high One.
5. Precision capstan lathe for production work. Capacity $\frac{1}{4}$ " diameter and 2" length. Nature of work: clock work pivots and pinion shafts. Motorised if possible One.

The above machinery should be suitable for 220 volts, 25 cycles and 3 phase.

The prices to be quoted should be for delivery either f. o. r. Bangalore or c.i.f. Madras.

No. S. P. C. 863-75, dated 12th July 1937.

To

The Firms dealing in Pressed Steel Tank and Steel Staging.

Enquiry No. 2380.

PRESSED STEEL TANKS AND STAGING FOR MUDUKATORE, HEMAGIRI AND CHUNCHANAKATTE WATER SUPPLIES.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below:—

TANKS.

Three tanks.—Each should be of 4,800-gallon capacity composed of 4' square, $\frac{1}{4}$ " thick plates for the bottom and lower tier and 3/16" plates for the rest with $\frac{1}{8}$ " plate cover; necessary bolts and plastic jointing material. Flat level indicator with graduated scale for fixing to the tank should be supplied. The cover should be recessed for the float so that the indicator may show the full depth of water. A lock-up hinged lid for the manhole should be provided in the cover.

STAGING.

One Mild Steel Staging 20' high for one of the tanks complete with access ladder from ground, R. S. joists to support the tank with holding down bolts, etc., complete.

The quotation for two tanks should be f. o. r. Mysore, and that for one tank and staging f. o. r. Krishnarajanagar.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for P. S. Tanks and Stagings for Mudukatore, Hemagiri and Chunchanakatte Water Supplies" with the above enquiry number.

This enquiry will be closed on the 30th July 1937.

No. S. P. C. 876-906, dated 9th July 1937.

To

The Firms dealing in Wires and Cables.

Enquiry No. 2381.

INSULATED CABLES FOR GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the following cables.

1. 2500 ft. of 7/0.028" single conductor cable for out-door use insulated for 6000 volts pressure with black varnished cambric tape of 10/64" thickness and covered with two impregnated weather proof cotton braids each 0.02" thick.
2. 4000 ft. of 7/.08" single conductor cable for out-door use insulated for 600 volts pressure with black varnished cambric tape of 1/16" thickness and covered with two impregnated weather proof cotton braids 0.02" thick.

The cables would be required to be tested in accordance with the latest standards of B. E. S. A. and copies of test reports would have to be submitted along with the supply.

You should definitely specify the actual thickness of insulation the overall diameter and weight of cables, the value of insulation resistance per mile at 60 °F as measured after the high voltage test and the value of puncture voltage of each cable.

The cables to be supplied should be securely packed in coils of standard lengths. The length of coils offered should be clearly specified.

The prices to be quoted should be for delivery either f. o. b. English port or c. i. f. Madras.

Your quotation should reach the undersigned on or before the 10th August 1937.

You should arrange to cable your prices by the due date in case your written quotation cannot reach us by the 10th of August 1937.

Yours faithfully,

T. RANGASWAMI,

Secretary,
Stores Purchase Committee.

No. S. P. C. 1015, dated 10th July 1937.

NOTICE.

Enquiry No. 2357.

MACHINERY REQUIRED FOR M. P. L. AND SIVASAMUDRAM WORKSHOPS—E. D. 465—PUBLISHED ON PAGE 1097, PART VI OF THE *Mysore Gazette* DATED 8TH JULY 1937.

The closing date of the above enquiry is postponed from 22nd July 1937 to 22nd August 1937.

The tendering firms are also requested to note the following instructions:—

"Quotations for materials of German manufacture should be in *Reich-Marks* for payment out of the Mysore Government moneys in the Reichskredit Gesellschaft, Berlin, which represent the realizations on account of sale of Sandal Oil in Germany."

T. RANGASWAMI,

Secretary,
Stores Purchase Committee.

Statement of orders placed by Stores Purchase Committee, Government of Mysore, during the week ending Saturday the 3rd July 1937.

Local & Foreign No.	Description of material	Quantity	Name of Firm	Value of Order
Local. 3977	Cotton Gin, Platt Brothers patent double Roller 40" wide arranged for gear drive.	One	Messrs.— Groaves Cotton & Co., Ltd., Bombay.	Rs. a. p. 926 0 0 net, f.o.r., Bom.
2305	Induction Motor, Crompton Parkinson Squirrel cage, 4.5 B.H.P., speed 720 r.p.m., with standard pulley with slide rails and air break Star-delta starter with no volt and 2 overload releases, complete	One	Crompton Engineering Co., Madras.	246 8 0 f.o.r., Mandya.
3979	Bolts and Nuts Hexagonal 1½" x 1½". Washers to suit the above	5 cwt. 1 cwt.	Gulamali Abdul Hussen & Co., Madras.	19 8 0 per cwt., f.o.r., 14 8 0 do Tumkur.
2345 3914	Wire, No. 8 B. and S. hard drawn high conductivity bare copper.	6 miles	Indian Cable Co., Ltd., Madras	1,094 0 0 per ton, f.o.r., Bangalore.
Extn. 3980	Cocoonut Oil	50 tons	Sidramanna Shivanagappa Shetru & Sons, Bangalore City.	382 8 0 per ton, delivery at the Soap Factory.
2327				
Foreign. 2260	Instruments, Switch-board, etc., required for Power Supply to the Cement Factory, Bhadravati.	Lot	Associated Electrical Industries (India) Ltd., Bangalore City.	£. s. d. 61 6 10 lot, f.o.b., English Port.
2257 2261	Spare materials required for installing Automatic Telephone Exchange at Mysore, comprising—			
2280	(1) Renewal elements comprising chloride AG-3 type positive and negative groups.	60		132 0 0 lot, o.i.f., Madras
	(2) 37-.083 V.I.R. Cable, 660 volt grade.	200 ft.	English Electric Co., Ltd., Mount Road, Madras.	20 0 0 do do
	(3) 84 wire switch-board cable, Code 97.	100 yds.		17 0 0 do do
2262	Extension Switches for Automatic Telephone System.	100	Telephone and General Trust, Ltd., London, W.C. 2.	2 12 6 each switch, o.i.f., Madras.
1778 2263	G.E. combined Vacuum and Air Gap Arresters for Telephone protection for indoor service only.	100		\$ 187.00 lot, f.a.s., New York.
1948	Combined double pole fuse switch and Lightning arresters; Vacuum and Air Gap for telephone protection (Indoor service only).	24	International General Electric Co., Bangalore City.	\$ 528.00 do do
	Telephone Line Insulating Transformers, ratio 1:1 (for indoor and outdoor service).	30		\$ 990.00 do do

Statement of orders placed by Stores Purchase Committee, Government of Mysore, during the week ending Saturday the 10th July 1937.

Local.	Description of material	Quantity	Name of Firm	Value of Order
3981	Engineer's Level, Simplex Telescope Internal focussing 1.5" x 25 magnification complete with stand.	One	Messrs.— P.Orr & Sons, Madras	Rs. a. p. 350 0 0 net, f.o.r., Robertsonpet, K.G.F.
2278				
3982	Engine, Crude Oil, Blackstone 40 H.P. with accessories.	One set	Volkart Brothers, Madras	5,531 0 0 f.o.r., Tumkur.
2270 3983	Spares for "National, M.B." Type Engines, No. 45717 and 45739.	Lot	Alfred Herbert (India) Ltd., Calcutta.	172 0 0 lot, f.o.r., Bangalore
3985	Aluminium Scrap, small of 99% purity.	5 cwt.	Jeevanlal (1929) Ltd., Madras.	0 6 6 per lb., f.o.r., Bangalore City.
2361				

T. RANGASWAMI,

Secretary,
Stores Purchase Committee.